
#### HYOSUNG HEAVY INDUSTRIES

### SPEED - TORQUE & CURRENT CURVE

Curve	No.
-------	-----

1ST\_D1ML8748

OUTPUT	132	kW	POLES	6	Р
VOLTAGE	-	V	FREQUENCY	60	Hz
FULL LOAD TORQUE	107.6	kg∙m	FULL LOAD CURRENT	-	Α
LOCKED ROTOR TORQUE	130	%	LOCKED-ROTOR CURRENT	720	%
BREAKDOWN TORQUE	230	%	SPEED (at FULL LOAD)	1195	r/min
GD <sup>2</sup> of LOAD :	-	$kg \cdot m^2$	GD <sup>2</sup> of MOTOR	18.688	$kg \cdot m^2$



NOTE 100% RATED VOLTAGE : SPEED-TORQUE CURVE AT : SPEED-TORQUE CURVE AT 90% RATED VOLTAGE : SPEED-TORQUE CURVE AT 80% RATED VOLTAGE D : SPEED-CURRENT CURVE AT 100% RATED VOLTAGE : SPEED-CURRENT CURVE AT 90% RATED VOLTAGE : SPEED-CURRENT CURVE AT 80% RATED VOLTAGE




# THERMAL LIMIT & TIME - CURRENT CURVE

Curve No.

1TL\_D1ML8748

OUTPUT	132	kW	POLES	6	Р
VOLTAGE	-	V	FREQUENCY	60	Hz
FULL LOAD TORQUE	107.6	kg∙m	FULL LOAD CURRENT	-	Α
LOCKED ROTOR TORQUE	130	%	LOCKED-ROTOR CURRENT	720	%
BREAKDOWN TORQUE	230	%	SPEED (at FULL LOAD)	1195	r/min
GD <sup>2</sup> of LOAD :	-	$kg \cdot m^2$	GD <sup>2</sup> of MOTOR	18.688	kg·m²




#### HYOSUNG HEAVY INDUSTRIES

# LOAD - POWER FACTOR & EFFICIENCY CURVE

Curve No.

1PE\_D1ML8748

OUTPUT	132	kW	POLES	6	Р
VOLTAGE	-	V	FREQUENCY	60	Hz
FULL LOAD TORQUE	107.6	kg·m	FULL LOAD CURRENT	-	Α
LOCKED ROTOR TORQUE	130	%	LOCKED-ROTOR CURRENT	720	%
BREAKDOWN TORQUE	230	%	SPEED (at FULL LOAD)	1195	r/min
GD <sup>2</sup> of LOAD :	-	kg·m²	GD <sup>2</sup> of MOTOR	18.688	kg·m²



NOTE

A : LOAD - POWER FACTOR CURVE

B : LOAD - EFFICIENCY CURVE